INTERNATIONAL JOURNAL OF QUANTUM CHEMISTRY, VOL. IX, 1133–1137 (1975)

# Author Index, Volume IX

Adams, S., Nir, S., and Rein, R.: Perturbation theories and wave functions for calculation of electronic polarizabilities application to DNA bases, 701

Agrawal, V. P.: See Poshusta, R. D.

Anno, T. and Teruya, H.: Some remarks on the semiempirical one-center electron repulsion integrals, 51

Avery, J. S.: Enhanced probability for the photoelectric effect in a Faraday cage, 445

Bagus, P. S. and Bennett, B. I.: Singlet-triplet splittings as obtained from the $X\alpha$-scattered wave method: a theoretical analysis, 143

Barnsley, M. F. and Robinson, P. D.: Variational bounds on transition probabilities, 479

Barriel, J. M., Riera, J. M., Sanz, F., Caballol, R., Vidal, M., and Carbo, R.: Extended Hückel theory of hydrogen-molecule interactions, 1021

Bendazzoli, G. L. and Palmieri, P.: *Ab initio* computations of spin-orbit interactions in polyatomic molecules. Splitting of Sulfur $L_{II,III}$ states and single-triplet transition in $SO_2$, 537

Bennett, B. I.: see Bagus, P. S.

Berrondo, M. and Rojas, D. H.: Potential surface crossings for diatomic molecules, 119

Bhattacharya, A. K., Moitra, R. K., and Mukherjee, A.: Corrections to coupled Hartree-Fock theory: the rearrangement effect, 385

Bhattacharya, A. K.: see Roy, H. P.

Binkley, J. S. and Pople, J. A.: Moller-Plesset theory for atomic ground states, 229

Birner, P., Köhler, H.-J., und Weiss, C.: Wechselwirkungen gerichteter ladungsverteilungen. I. IRDO (Intermediate retention of Differential Overlap)-Berechnungen zum einfluß des einsamen elektronenpaars am stickstoff auf die relative aciditat des $\beta$-picolins, 917

Bishop, D. M. and Schneider, B. E.: A new integral transform basis function, 66

Brandas, E., Hehenberger, M., and McIntosh, H. V.: Dispersion relations and spectral densities, 103

Brandas, E. J.: See Reid, C. E.

Caballol, R.: See Barriel, J. M.

Carbo, R. and Martin, M.: Electrostatic molecular potentials: Mulliken approximation, 193

Carbo, R.: See Barriel, J. M.

Čížek, J, Pellégatti, A, and Paldus, J.: Correlation effects in the PPP model systems: two-point Padé approximant approach, 987

Csavinszky, P. and Hucek, R.: A first-principle psuedopotential calculation of the (*ns*) energy levels of the K atom. II., 215

Dalton, B. J. and Nicholson, P. D.: Nonrigid molecule effects in molecules with linear or nongeometrically equivalent equilibrium configurations, 325

Deal, W. J.: See Young, R. H.

Dmitriev, Y.: Adiabatic perturbation theory for the degenerate case. I. Perturbation of isolated degenerate or quasidegenerate level, 1033

Dmitriev, Y.: Adiabatic perturbation theory for the degenerate case. II. Perturbation of degenerate bound states embedded in the continuum, 1047

Dmitriev, Y. and Roos, B.: A variational principle for transitions and density matrices and approximations to the equations-of-motion, 825

Doktorov, E. V., Malkin, I. A., and Man'ko, V. I.: Coherent states and asymptotic behavior of the symmetric top wave functions, 951

Dugay, M. and Thomas, J.: Alternant mo-

lecular orbitals (AMO's) for some organic semiconductors: ion radical salts from 7,7,8,8-tetracyanoquinodimethane (TCNQ) and chloranil/*para*-phenylenediamine (PDC) charge transfer complex, 1087

Fimple, W. R. and White, S. P.: A finite-difference solution of the Hartree-Fock equations for diatomic molecules, 301
Fischer, C. R.: A correlation study of Li ground state by the MCHF procedure, 273

Glasser, M. L.: See Graovac, A.
Graovac, A., Monkhorst, H. J., and Glasser, M. L.: Computation of Fourier transform quantities in Hartree-Fock calculations for simple crystals, 243
Grimmer, M.: See Heidrich, D.
Gubanov, V. A.: See Lazokova, N. I.
Guerillot, C. R.: See Lissillour, R.
Gupta, A., Roy, H. P., and Mukherjee, P. K.: Coupled Hartree-Fock calculation of quadrupole polarizabilities and shielding factors for open-shell atomic systems, 1
Gupta, A.: See Roy, H. P.

Hagstrom, S. A.: See Sims, J. S.
Hameka, H. F.: See Svendsen, E. N.
Harriss, D. K. and Solev, I. G.: On the solution of the least-squares local energy variance minimization equations, 975
Hatch, D. M.: Selected stable states in large quantum systems, 649
Hehenberger, M.: See Brandas, E.
Heidrich, D. und Grimmer, M.: Quantenchemische untersuchungen zum mechanismus der elektrophilen substitution. I. Zur potentialhyperflache des systems benzol/$H^+$, 923
Horino, Y. and Tatewaki, H.: The electronic structure of the excited states for B, $C^+$, and C arising from the configuration $1s^2 2s^2 p^n$—the effect of the removal of the "equivalence" restriction, 287
Hucek, R.: See Csavinszky, P.
Hunter, G.: Conditional probability amplitude in wave mechanics, 237

I'Haya, Y.: See Shibuya, T.-I.
Ivanov, L. N. and Safronova, U. I.: Perturbation theory for degenerate states of atomic and molecular systems, 711

Johansen, H.: *Ab initio* calculation of the electronic structure of TCNQ and its ions, 459
Joo, F.: See Kiss, A. I.
Jucys, A. P., Sabas, K. V., and Kupliauskis, Z. J.: Nonorthogonal radical orbitals for the configuration $l^N l$, 721
Jucys, A. P., Sabas, K. V., and Kupliauskis, Z. J.: The spin-orbit interaction in the configuration $nl^N n'l$ using nonorthogonal radical orbitals, 743

Kamel, M. A. and Labzowsky, L. N.: Density matrix expansions and their applications in the theory of the many-electron systems, 35
Keller, J.: SC cellular multiple scattering in molecular electronic structure calculations, 583
Kertész, M.: See Mayer, I.
Kibler, M. R.: Comparison between the point-charge electrostatic model and the angular overlap model: the general case, 403
Kibler, M. R.: An alternative parametrization for the theory of complex spectra, 421
Kiss, A. I. and Joo, F.: Theoretical investigation of the $\pi$-electronic structure and spectra of protonated aromatic carbonyl compounds, 261
Köhler, H.-J.: See Birner, P.
Kolos, W.: Long- and intermediate-range interaction between hydrogen atoms in the $B^1\Sigma^+_u$ state, 133
Kondász, J.: See Mayer, I.
Konowalow, D. D.: See Olson, M. L.
Kupliauskis, Z. J.: See Jucys, A. P.
Kuprievich, V. A. and Shramko, O. V.: Improved convergence of self-consistence procedures in the MC SCF theory, 1009

Labzowsky, L. N.: See Kamel, M. A.
Lazokova, N. I., Gubanov, V. A., and Pletnev, R. N.: Electric field gradient calculation in $V_2O_5$, 691
Lechinsky, M. L.: See Men, B. A.
Lim, T. K.: Spin densities in the Waller-

Hartree spin-free method, 489
Lim, T. K.: Young operators and the Waller-Hartree spinfree method, 981
Lissillour, R and Guerillot, C. R.: Electronic correlation studies. III. Self-correlated field method. Application to $^2S$ ground state and $^2P$ excited state of three-electron atomic systems, 627
Lo, B. W. N.: Orbit-orbit molecular integrals over Gaussian orbitals, 1055
Ludena, E. V.: Variational principles for discontinous wave functions and the independent particle model of electronic structure, 1069

Malkin, I. A.: See Doktorov, E. V.
Man'ko, V. I.: See Doktorov, E. V.
Martin, M.: See Carbo, R.
Matsen, F. A., Picone, J. M., and Welsher, T. L.: Spin-free quantum chemistry. XV. Spin-only neutron diffraction, 157
Matsen, F. A. and Welsher, T. L.: Spin-free quantum chemistry. XVI. Spin correlation, 171
Mayer, I. and Kertész, M.: Spin-projected EHF method. III. Applications to $\pi$-electron systems, 527
Mayer, I. and Kondász, J.: Spin-projected EHF method. II. The equations for successive optimization of the orbitals in the many-electron case, 517
McIntosh, H. V.: See Brandas, E.
McKoy, V.: See Shibuya, T.-I.
Men, A. N.: See Men, B. A.
Men, B. A., Lechinsky, M. L., and Men, A. N.: The "seniority" classification of spin Hamiltonian and states of complexes and molecules in approximation of one-centered plethyisms, 669
Men, B. A., Varshavsky, P. T., and Men, A. N.: Many-centered and one-centered plethyisms in the problem of many centers, 657
Mestechkin, M. M. and Whyman, G. E.: Density matrix in the open shell theory, 761
Minchin, P. E. H. and Wybourne, B. C.: Effective operators and the $Z$-expansion method, 23
Misurkin, I. A., Ovchinnikov, A. A.; and Vinodgradov, G. A.: Electronic structure and collective excitations of long molecules with conjugation in the main chain, 605
Moitra, R. K.: See Bhattacharya, A. K.
Moitra, R. K.: See Mukhopadhyay, A.
Monkhorst, H. J.: See Graovac, A.
Morikawa, T.: Operator formalism for forming ket vectors under some constraints, 969
Moseley, W. D.: See Poshusta, R. D.
Mueller, C. R.: See Sheen, S. H.
Mukherjee, A.: See Bhattacharya, A. K.
Mukherjee, D.: Orbital optimisation in single open-shell configurations: a sequential unconstrained minimisation technique, 943
Mukherjee, D.: see Mukhopadhyay, A.
Mukherjee, P. K.: See Gupta, A.
Mukherjee, P. K.: See Roy, H. P.
Mukhopadhyay, A., Moitra, R. K., and Mukherjee, D.: On a new partitioning of the Hamiltonian in many-body calculation of pair-correlation energies in closed-shell systems, 545
Murty, J. S. and Sarma, C. R.: A method for the construction of orthogonal spin eigenfunctions, 1097

Náray-Szabó, G.: All-pair wave function and reduced variational equation for electronic systems, 9
Nerbrant, P.-O.: Application of many-body Green's functions to the calculation of molecular ionization potentials, 906
Nicholson, P. D.: See Dalton, B. J.
Nir, S.: See Adams, S.
Nordling, J. O.: Effect of approximate linear dependence on the solution of the eigenvalue problem: a study by means of the super-secular equation, 561

Olson, M. L. and Konowalow, D. D.: Energy of interaction of two hydrogen atoms using contracted Gaussian type valence-bond wavefunctions, 1113
Ovchinnikov, A. A.: See Misurkin, I. A.

Paldus, J.: See Čížek, J.
Palmieri, P.: See Bendazzoli, G. L.
Pellégatti, A.: See Čížek, J.
Phariseau, P.: See Schiere, L.

Picone, J. M.: See Matsen, F. A.
Pletnev, R. N.: See Lazokova, N. I.
Pople, J. A.: See Binkley, J. S.
Poshusta, R. D., Agrawal, V. P., and Moseley, W. D.: On the use of Gaussian shell type basis orbitals for single-center expansions. I. Evaluation of integrals, 635
Preuss, H.: See Stoll, H.
Primas, H. and Schleicher, M.: A density functional representation of quantum chemistry. II. Local quantum field theories of molecular matter in terms of the charge density operators do not work, 855
Primas, H.: See Schleicher, M.
Raina, V., Srivastava, P. K., and Sane, K. V.: Square well model for the functional form for the resonance integral, 379
Reid, C. E. and Brandas, E. J.: Integrals of Harmonic oscillator eigenfunctions over powers of $x$, 189
Rein, R.: See Adams, S.
Riera, J. M.: See Barriel, J. M.
Robinson, P. D.: See Barnsley, M. F.
Roeggen, I.: Resolvent techniques and Padé approximants in configuration interaction calculations, 431
Rojas, D. H : Berrondo, M.
Roos, B.: See Dmitriev, Y.
Rosen, P.: Ultraviolet carcinogenesis, 473
Roy, H. P. and Bhattacharya, A. K.: Rearrangement correction to higher polarizabilities of two-electron systems, 495
Roy, H. P., Gupta, A., and Mukherjee, P. K.: Frequency-dependent polarizability of open-shell atomic systems, 75
Roy, H. P.: See Gupta, A.

Sabas, K. V.: See Jucys, A. P.
Safronova, U. I.: See Ivanov, L. N.
Sane, K. V.: See Raina, V.
Sanz, F.: See Barriel, J. M.
Sarma, C. R.: Spin projections for even electron systems, 1109
Sarma, C. R.: See Murty, J. S.
Schiere, L. and Phariseau, P.: The electronic structure of molecules having arbitrary boundaries, 887
Schleicher, M. and Primas, H.: A density functional representation of quantum chemistry. III. Rigorous realization of the program in lattice space, 871
Schleicher, M.: See Primas, H.
Schneider, B. E.: See Bishop, D. M.
Selsby, R. G.: Variable $\zeta$ calculation for self-consistent screening parameters in *ab initio* molecular theory, 83
Sheen, S. H., Skofronick, J. G., and Mueller, C. R.: Effect of orbiting resonances on the elastic differential cross sections, 817
Shibuya, T.-I., I'Haya, Y., and McKoy, V.: Dynamical screening by $\Sigma$-electrons in $\pi$-electron transitions: treatment in the equations-of-motion method, 505
Shramko, O. V.: See Kuprievich, V. A.
Sims, J. S. and Hagstrom, S. A.: Combined CI-HY studies of atomic states. II. Compact wave functions for the Be ground state, 149
Skofronick, J. G.: See Sheen, S. H.
Solev, I. G.: See Harriss, D. K.
Srivastava, P. K.: See Raina, V.
Stoll, H. and Preuss, H.: Hartree-Fock calculation of cohesive energies and equilibrium lattice constants for solid Li and Be, 775
Sundaram, K.: Applications of an optimization technique in submolecular biology, 393
Svendsen, E. N. and Hameka, H. F.: Effect of the rotational motion of molecules on their optical and magneto-optical activity, 797

Tatewaki, H.: See Horino, Y.
Teruya, H.: See Anno, T.
Thomas, J.: See Dugay, M.
Thulstrup, P. W.: Smooth interpolation, Fourier transformation, and two-center overlap integrals for numerical atomic orbitals, 789
Tyutyulkov, N. N.: A generalized formula for the energies of alternant molecular orbitals. I. Homonuclear molecules, 683
Varshavsky, P. T.: See Men, B. A.
Vidal, M.: See Barriel, J. M.
Vinodgradov, G. A.: See Misurkin, I. A.

Weiss, C.: See Birner, P.
Welsher, T. L.: See Matsen, F. A.

White, S. P.: See Fimple, W. R.
Whyman, G. E.: See Mestechkin, M. M.
Wybourne, B. C.: See Minchin, P. E. H.

Young, R. H.: Divergence of the $R^{-1}$ expansion for the second-order H—H interaction, 47
Young, R. H. and Deal, W. J.: Nonadiabatic core polarizations and penetration correction in alkali-like atoms: model computations on excited states of helium, 835